

# Medical Diagnostics Form Athletes with Visual Impairment

This form is to be completed by a registered Ophthalmologist.

All medical documentation required on page 2 needs to be attached.

The form and the attached medical documentation may not be older than 12 months at the time of the Athlete Evaluation.

Athlete Informa	<u>ition</u>						
Surname:				_			
First:							
Gender:	Female	; 🗌	Ma	ale 🗆		Date of Birth:	
Address:							
Email					Pho	one: (Hm and <u>Mob)</u>	
Medical Inform	nation	<u>1</u>					
Diagnosis: (must	be sup	ported	by r	nedical	evidence demonsti	rating the cause of th	e Visual Impairment
Medical history:							
Age of onset:							
Anticipated							
ocular							
procedures:						5: : .	
Athlete wears glasses:		yes		no	Correction:	Right: Left:	
Athlete wears		yes		no	Correction:		
contact lenses:		,		110	<del> </del>	Left:	
Athlete wears		right		left		_	
eye prosthesis:							
Medication:							
Eye medications							
used by the athle							
Ocular drug allerg	jies:						

### **Assessment of Visual Acuity and Visual Field**

### **Visual Acuity**

	Left eye	Right eye
With Correction		
Without Correction		
Type of correction: Measurement: Method:		
Visual Field:		
In degrees (radius)	Left eye	Right eye

### Attachments to the Medical Diagnostic Form

#### **Visual Field Test**

For all athletes with a restricted visual field a visual field test must be attached to this form. The athlete's visual field must be tested by full-field test (120 degrees) and a 30 degrees, 24 degrees or 10 degrees central field test, depending on the pathology.

One of the following perimeters should be used for the assessment: Goldmann Perimetry (Intensity III/4), Humphrey Field Analyzer or Octopus (Interzeag).

#### **Visual Acuity Test**

All acuity measures are with best possible correction (glasses or contact lenses) irrespective of whether the athlete wears these in competition.

Acuity should be measured by one of the following:

- LogMAR Chart with tumbling "E" and the Berkley Rudimentary Vision Test (Preferable)
- E.T.D.R.S. (Light House new York)
- Snellen Acuity test (only if no other test is available)

Athlete:

# **Assessors Declaration**

I confirm that the above information is ac I certify that there is no contra-indication level in sport, with the exception of	for this athlete to compete at competitive		
Name:			
Medical Specialty:			
Registration Number:			
Address:			
Country:	Phone:		
Email:			
Date:			
Signature:			

## **Provisional Classification Outcome**

Please indicate from the best eye with best corrected vision

□ B1	1	Visual Acuity is poorer than LogMAR 2.60.May have some light perception but unable to see shape of hand at any distance
□ B2	2	Visual Acuity ranges from LogMAR 1.50 to 2.60 inclusive; and/or a Visual Field that is constricted to a radius of 5 degrees. (up to 2/60 vision)
□ B3	3	Visual Acuity ranges from LogMAR 1.40 to 1.0 inclusive; and/or a Visual Field constricted to a radius of 20 degrees, (2/60 to 6/60 vision)
□ NE		Visual Acuity less than LogMAR 1.0; and/or Visual Field greater than or equal to 40 degrees diameter.